



Sandspring Resources Ltd. reports further encouraging results from its infill drill program, including 94.5 m of 1.55 g/t gold and 0.31% copper in hole TPD 340

Toronto, Ontario

March 22, 2012 -- SANDSPRING RESOURCES LTD. (SSP: TSX-V) ("Sandspring" or the "Company") is pleased to announce additional results from its 2012 infill and expansion drill program at the Toroparu Gold Deposit in the Republic of Guyana, South America (the "Toroparu Gold Deposit").

Included in today's release are results from infill core holes TPD 326-362, (which includes 27 holes drilled within the eastern mineralized zone and 10 holes within the western mineralized zone of the Toroparu Gold Deposit), as well as exploration drill results from core holes TPD 363-366 drilled 1.2 km southeast of the Toroparu Gold Deposit boundary.

Infill Drilling

The primary purpose of these infill drill holes was to target near surface saprolite and fresh rock mineralization that had not been drilled previously due to surface conditions (see Exhibits 2 and 3 below). The secondary purpose of these infill holes is to convert Inferred Mineral Resources to Measured and/or Indicated Mineral Resources.

Highlights of the infill drilling program results include:

- TPD 327: 75 m of 1.19 g/t Au (0 m to 75 m)
- TPD 340: 94.5 m of 1.54 g/t (265.5 m to 360 m)
- TPD 343: 64.5 m of 2.09 g/t (165.5 m to 231 m)
- TPD 346: 69 m of 1.37 g/t Au (0 m to 69 m)
- TPD 349A: 28 m of 2.59 g/t Au (0 m to 29.5 m)
- TPD 360: 88.5 m of 1.52 g/t Au (0 m to 88.5 m)

** All gold assays intervals reported in the above highlights are top cut at 12 g/t Au consistent with the top cut of the Toroparu Gold Deposit Mineral Resource estimate.*

Exploration Drilling

Encouraging gold mineralization intercepts were encountered in diamond drill holes TPD 363, 365 and 366, which are the first results reported from an 8-hole exploratory drill program (TPD 363 to TPD 370) testing the possible extension of mineralization defined in exploration drill hole TPD 313 (see Press Release of February 29, 2012) located 1.2 km southeast of the Toroparu Gold Deposit (see Exhibits 2 and 3 below).

Highlights of the offset exploration drilling results include:

- TPD 363: 15 m of 1.7 g/t Au (108 m to 123 m) and 87 m at 1.60 g/t Au (139.5m to 226.50m)
- TPD 365: 22.5 m at 1.74 g/t Au (63 m to 88.5 m) and 12 m at 1.28 g/t Au (97.5 m to 109.5 m)
- TPD 366: 52.5 m at 1.23 g/t Au (82.5 m to 135 m) and 52.5 m of 0.92 g/t Au (189 m to 241.5 m)

** All gold assays intervals reported in the above highlights are top cut at 12 g/t Au consistent with the top cut of the Toroparu Gold Deposit Mineral Resource estimate.*

*** TPD 366 is being reported on the basis of partial results. The balance of the results will be reported in the Company's next drill result press release.*

The results from the exploration core holes demonstrate interesting distribution of gold grade over large apparent widths that are relatively close to surface. Collectively with results from TPD 313, these results constitute a reliable indication for a new gold mineralization system 1.2 km southeast of the Toroparu Gold Deposit in-pit resource boundary and near the intersection of the NNW trending Wynamu lineament and the regional Puruni shear zone (see February 29, 2012 Press Release). Further results from this step-out drill program are expected within the coming weeks.

The detailed list of drilling results for all drill holes from TPD 326 to TPD 366, including depth and length of interval, uncapped higher grade intervals can be found at the following link:

Exhibit 1: <https://www.marketwire.ca/ssp/>

The location, orientation, and depth of all drill holes from TPD 326 to TPD 366 contained in this release can be found in plan and longitudinal view at the following links:

Exhibit 2: Drill Hole Location Plan View: <https://www.marketwire.ca/ssp/>

Exhibit 3: Drill Hole Location Longitudinal View: <https://www.marketwire.ca/ssp/>

Additionally, the Company's systematic reconnaissance drill program utilizing reverse circulation (R/C) drilling over two multi-kilometer length surface gold anomalies located several kilometers to the northwest of the Toroparu Gold Deposit is on-going. (See Sandspring's Press Release of February 20, 2012).

Werner Claessens, VP Exploration states: *"This infill drill round confirms that the resource and geological model for the Toroparu Gold Deposit as presented in the recently updated PEA, continues to surface and that gold distribution and grade barely change within the saprolite layer. I'm very pleased with the step-out results to the southeast, which underlines the potential to find satellite deposits in the vicinity of Toroparu. This brings us a step closer to the concept that the existing resource is part of a larger system."*

Drill holes TPD 326-366 represent an additional 9,241 m of diamond core drilling within the Toroparu Gold Deposit Area (Exhibit 2). This is the first set of holes from the 2012 drill program to be reported. A total of 158,045 m of drilling is reported to date from the Toroparu Gold Deposit.

Analytical testing and reporting of quantitative assays for the results reported in this press release was performed independently by Acme Analytical Laboratories Ltd. ("AcmeLabs"). AcmeLabs is an ISO9001: 2008 accredited laboratory. A system of blanks, standards and duplicates were added to the Toroparu sample stream by the Company to verify accuracy and precision of assay results, supplementing a variety of internal QA/QC tests performed by AcmeLabs.

All data verification and QA/QC procedures of the Company were applied specifically to the results contained in this press release, and the data in this press release has been verified by Mr. Brian Ray, P.Geo., Senior Resource Geologist with Sandspring and a Qualified Person under NI 43-101, in accordance with the procedures of the Company. The data verification procedures and QA/QC procedures adopted by the Company and applied to the work reported in this press release can be found in Section 11.0 and Section 12.0 of the "Technical Report, Updated Resource Estimate and Preliminary Economic Assessment of the Toroparu Gold-Copper Deposit", No. 234 with an effective date of January

30, 2012, dated March 12, 2012, and filed on SEDAR under the Company's profile on March 13, 2012 (www.sedar.com).

Mr. Brian Ray, P.Geo., Senior Resource Geologist with Sandspring and a Qualified Person under NI 43-101, has reviewed and approved the technical content of this press release.

Sandspring Resources Ltd. is a Canadian junior mining company currently in advanced exploration and prefeasibility assessment of the multi-million ounce Toroparu Gold Deposit in the Republic of Guyana. Visit Sandspring's website at www.sandspringresources.com.

To view our previous disclosure on the latest resource estimate:
[Sandspring Resources January 30, 2012 Press Release](#).

To see the Preliminary Economic Assessment for the Toroparu Gold Deposit:
[Sandspring Resources March 22, 2011 PEA](#).

FOR FURTHER INFORMATION PLEASE CONTACT:

Sandspring Resources Ltd.
Investor Relations
(720) 854-0104
info@sandspringresources.com

Additional information on Sandspring can be viewed on SEDAR under the Company's profile at www.sedar.com or on Sandspring's website at www.sandspringresources.com.

This press release includes certain forward-looking statements concerning future performance and operations of the Company as well as management's objectives, strategies, beliefs and intentions. Forward-looking statements are frequently identified by such words as "may", "will", "plan", "expect", "anticipate", "estimate", "intend" and similar words referring to future events and results. Forward-looking statements are based on the current opinions and expectations of management at the time such statements are made. All forward-looking statements and information is inherently uncertain and subject to a variety of assumptions, risks and uncertainties, including the speculative nature of mineral exploration and development, fluctuating commodity prices, the Company's successful advancement of the Toroparu Gold Deposit toward feasibility and obtaining positive results from ongoing evaluation and testing of multiple gold targets located elsewhere in the Company's landholdings, among other risks as described in our public filings available at www.sedar.com. Actual events or results may differ materially from those projected in the forward-looking statements and we caution against placing undue reliance thereon. Sandspring Resources Ltd. has an ongoing obligation to disclose material information, as it becomes available.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Source: Sandspring Resources Ltd.

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

Hole ID	From(m)	To(m)	Length(m)	Gold(g/t)	Cu (%)	Comment
TPD326	0.00	5.50	5.50	1.35	0.10	infill
	35.50	48.00	12.50	0.59	0.05	
	52.50	54.00	1.50	0.62	0.08	
	57.00	58.50	1.50	1.01	0.10	
	61.50	63.00	1.50	0.60	0.06	
	64.50	76.50	12.00	1.18	0.12	
	78.00	133.50	55.50	0.79	0.08	
	144.00	145.50	1.50	1.05	0.11	
	174.00	178.50	4.50	0.57	0.03	
TPD327	0.00	75.00	75.00	1.19	0.11	infill
	60.00	75.00	15.00	2.18	0.09	
	91.50	94.50	3.00	2.44	0.27	
	106.50	108.00	1.50	0.90	0.15	
	147.00	148.50	1.50	0.67	0.10	
TPD328	151.50	153.00	1.50	0.98	0.48	infill
	186.00	189.00	3.00	1.13	0.41	
TPD329	0.00	20.50	20.50	0.82	0.10	infill
	25.00	45.00	20.00	0.41	0.14	
	94.50	100.50	6.00	0.36	0.14	
TPD330	121.50	127.50	6.00	0.73	0.10	
	0.00	2.50	2.50	1.09	0.07	infill
	66.50	71.00	4.50	0.56	0.15	
TPD331	81.50	95.00	13.50	0.57	0.22	
	101.00	168.50	67.50	0.63	0.26	
	0.00	4.00	4.00	0.79	0.05	
TPD332	0.00	4.00	4.00	1.16	0.02	infill
	16.00	20.50	4.50	0.53	0.04	
	22.00	40.50	18.50	0.59	0.07	
	60.00	63.00	3.00	6.46	0.06	
	66.00	67.50	1.50	1.48	0.06	
	70.50	75.00	4.50	0.82	0.12	
	96.00	103.50	7.50	0.43	0.05	
	121.50	123.00	1.50	0.65	0.02	
	130.50	133.50	3.00	0.81	0.21	
	139.50	144.00	4.50	0.45	0.12	
	148.50	154.50	6.00	0.61	0.13	
	156.00	166.50	10.50	0.33	0.09	
	171.00	172.50	1.50	0.72	0.13	
175.50	201.00	25.50	0.57	0.14		
205.50	270.00	64.50	0.61	0.11		
TPD333	0.00	5.50	5.50	0.45	0.06	infill
	69.00	90.00	21.00	0.85	0.13	
TPD334	28.50	42.00	13.50	0.90	0.06	infill
	48.00	79.50	31.50	0.97	0.14	
	85.50	90.00	4.50	0.57	0.11	
TPD335	0.00	31.00	31.00	0.54	0.09	infill
TPD336	0.00	1.00	1.00	0.85	0.04	infill

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	5.50	19.00	13.50	0.51	0.12	
	25.50	28.50	3.00	0.39	0.07	
	31.50	48.00	16.50	0.40	0.07	
	52.50	61.50	9.00	0.39	0.09	
	84.00	85.50	1.50	4.76	0.04	
	133.50	136.50	3.00	1.34	0.03	
	144.00	148.50	4.50	0.71	0.02	
TPD337	25.50	30.00	4.50	0.41	0.10	infill
	34.50	40.50	6.00	4.18	0.16	
incl	34.50	36.00	1.50	12.9*	0.35	
	54.00	67.50	13.50	1.56	0.10	
TPD338	16.00	32.50	16.50	0.54	0.08	infill
	37.00	38.50	1.50	0.65	0.26	
	45.00	54.00	9.00	0.61	0.14	
	64.50	102.00	37.50	0.50	0.15	
	145.50	150.00	4.50	0.40	0.07	
TPD339	8.50	13.00	4.50	0.62	0.04	infill
	25.00	43.50	18.50	1.22	0.05	
TPD340	0.00	2.50	2.50	0.59	0.04	infill
	22.00	25.00	3.00	0.60	0.06	
	39.00	40.50	1.50	0.54	0.21	
	45.00	46.50	1.50	0.51	0.01	
	57.00	58.50	1.50	0.56	0.23	
	90.00	91.50	1.50	0.58	0.06	
	214.50	220.50	6.00	0.76	0.12	
	229.50	231.00	1.50	0.55	0.10	
	234.00	238.50	4.50	0.35	0.14	
	243.00	256.50	13.50	0.39	0.21	
	259.50	261.00	1.50	0.77	0.24	
	265.50	360.00	94.50	1.54	0.31	
incl	340.50	349.50	9.00	4.27*	0.27	
	378.00	424.50	46.50	1.01	0.15	
	435.00	436.50	1.50	0.52	0.06	
TPD341	0.00	19.00	19.00	1.17	0.05	infill
	30.00	42.00	12.00	1.27	0.17	
	48.00	61.50	13.50	1.30	0.21	
TPD342	25.50	27.00	1.50	1.02	0.04	infill
	31.50	45.00	13.50	0.49	0.07	
	52.50	57.00	4.50	0.60	0.03	
	87.00	88.50	1.50	0.60	0.01	
	102.00	106.50	4.50	0.62	0.04	
	135.00	136.50	1.50	0.59	0.07	
	154.50	157.50	3.00	4.18	0.03	
	184.50	195.00	10.50	0.67	0.03	
	201.00	211.50	10.50	1.53	0.02	
TPD343	106.50	114.00	7.50	0.56	0.11	infill
	124.50	129.00	4.50	0.49	0.06	
	135.00	145.50	10.50	0.72	0.02	

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	148.50	150.00	1.50	0.74	0.04	
	153.00	154.50	1.50	2.00	0.02	
	166.50	231.00	64.50	2.09	0.07	
incl	166.50	174.00	7.50	4.25*	0.03	
and	195.00	211.50	16.50	20.22*	0.15	
	240.00	259.50	19.50	2.24	0.02	
incl	252.00	256.50	4.50	6.74*	0.01	
TPD344	19.00	23.50	4.50	1.38	0.03	infill
	78.00	79.50	1.50	1.23	0.05	
	309.00	312.00	3.00	1.17	0.23	
	321.00	322.50	1.50	0.51	0.10	
TPD345	0.00	5.50	5.50	0.60	0.04	infill
	42.00	55.50	13.50	0.45	0.13	
	102.00	109.50	7.50	0.63	0.22	
	114.00	141.00	27.00	0.71	0.27	
	159.00	168.00	9.00	0.51	0.11	
TPD346	0.00	69.00	69.00	1.37	0.24	infill
	75.00	87.00	12.00	0.90	0.15	
TPD347	0.00	11.50	11.50	0.89	0.19	infill
	19.00	23.50	4.50	0.50	0.08	
	46.50	51.00	4.50	0.35	0.12	
	63.00	64.50	1.50	0.53	0.03	
	91.50	94.50	3.00	0.50	0.04	
	171.00	180.00	9.00	1.50	0.05	
	222.00	223.50	1.50	1.33	0.03	
	229.50	238.50	9.00	0.91	0.04	
	246.00	267.00	21.00	0.56	0.02	
TPD348	120.00	121.50	1.50	0.65	0.01	infill
	162.00	163.50	1.50	1.06	0.02	
	174.00	175.50	1.50	0.58	0.09	
	183.00	184.50	1.50	6.01	0.12	
	210.00	213.00	3.00	0.44	0.02	
	219.00	225.00	6.00	3.13	0.02	
incl	220.50	222.00	1.50	19.6*	0.03	
	237.00	243.00	6.00	0.48	0.04	
	250.50	267.00	16.50	0.40	0.02	
	273.00	279.00	6.00	0.39	0.02	
	285.00	304.50	19.50	0.91	0.01	
	309.00	324.00	15.00	0.56	0.02	
	330.00	343.50	13.50	0.45	0.02	
	351.00	396.00	45.00	0.97	0.03	
	426.00	438.00	12.00	0.86	0.07	
	466.50	472.50	6.00	0.87	0.09	
	508.50	510.00	1.50	1.36	0.01	
	513.00	535.50	22.50	0.57	0.02	
TPD349	0.00	55.50	54.00	0.75	0.09	infill
TPD349A	0.00	29.50	28.00	2.59	0.07	infill
incl	17.50	26.50	9.00	6.84*	0.10	

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	39.00	64.50	25.50	0.47	0.05	
	70.50	84.00	13.50	0.50	0.04	
	88.50	96.00	7.50	0.47	0.03	
	135.00	136.50	1.50	1.33	0.12	
TPD350	0.00	5.50	5.50	0.92	0.04	infill
	11.50	16.00	4.50	0.86	0.04	
	25.00	34.50	9.50	0.38	0.09	
	82.50	84.00	1.50	1.22	0.03	
	90.00	91.50	1.50	1.94	0.01	
	97.50	106.50	9.00	0.61	0.02	
	112.50	124.50	12.00	0.60	0.02	
	132.00	135.00	3.00	0.45	0.01	
TPD351	0.00	20.50	20.50	0.78	0.06	infill
	31.00	42.00	11.00	0.60	0.13	
	48.00	60.00	12.00	0.55	0.09	
TPD352	108.00	109.50	1.50	0.86	0.02	infill
	121.50	126.00	4.50	0.51	0.23	
	132.00	135.00	3.00	1.17	0.00	
	165.00	166.50	1.50	1.00	0.13	
	205.50	235.50	30.00	0.40	0.02	
	240.00	241.50	1.50	1.14	0.01	
	244.50	249.00	4.50	0.95	0.04	
	271.50	280.50	9.00	0.75	0.03	
	292.50	322.50	30.00	0.55	0.07	
	330.00	337.50	7.50	0.78	0.13	
TPD353	0.00	2.50	2.50	0.57	0.01	infill
	22.00	23.50	1.50	1.41	0.09	
	34.00	37.00	3.00	0.42	0.11	
	47.50	49.00	1.50	1.21	0.24	
	70.50	72.00	1.50	1.20	0.07	
	90.00	103.50	13.50	0.60	0.15	
	109.50	114.00	4.50	0.48	0.12	
	118.50	123.00	4.50	0.33	0.16	
	127.50	139.50	12.00	0.53	0.16	
TPD354	160.50	162.00	1.50	0.52	0.11	infill
	183.00	184.50	1.50	0.62	0.06	
	189.00	192.00	3.00	0.48	0.06	
	243.00	267.00	24.00	0.58	0.08	
	270.00	271.50	1.50	0.71	0.05	
	286.50	312.00	25.50	0.67	0.11	
	316.50	319.50	3.00	0.97	0.02	
	330.00	331.50	1.50	5.16	0.04	
TPD355	7.00	26.50	19.50	1.92	0.01	infill
incl	16.00	20.50	4.50	16.5*	0.01	
	33.00	34.50	1.50	0.71	0.00	
	55.50	57.00	1.50	0.52	0.01	
	60.00	66.00	6.00	1.70	0.01	
	69.00	70.50	1.50	0.71	0.01	

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	82.50	84.00	1.50	0.61	0.00	
	117.00	118.50	1.50	1.35	0.00	
	124.50	126.00	1.50	0.51	0.03	
	139.50	142.50	3.00	0.56	0.01	
	153.00	157.50	4.50	1.37	0.06	
	169.50	180.00	10.50	0.69	0.02	
	216.00	220.50	4.50	2.01	0.12	
	247.50	253.50	6.00	0.57	0.04	
	349.50	366.00	6.00	0.56	0.05	
	387.00	391.50	4.50	0.78	0.00	
	409.50	430.50	21.00	0.80	0.03	
	436.50	442.50	6.00	0.67	0.02	
TPD356	141.00	145.50	4.50	0.38	0.02	infill
	150.00	151.50	1.50	1.36	0.10	
	172.50	175.50	3.00	0.62	0.01	
	181.50	183.00	1.50	0.94	0.03	
	267.00	273.00	6.00	0.46	0.05	
TPD357	45.00	46.50	1.50	0.56	0.07	infill
	57.00	58.50	1.50	1.07	0.07	
	64.50	67.50	3.00	0.33	0.02	
	94.50	96.00	1.50	1.56	0.01	
	121.50	124.50	3.00	0.37	0.01	
	141.00	142.50	1.50	1.28	0.03	
TPD358	0.00	32.50	32.50	0.88	0.02	infill
	40.00	48.00	8.00	0.43	0.08	
	57.00	61.50	4.50	0.37	0.03	
	64.50	72.00	7.50	0.60	0.04	
	105.00	118.50	13.50	0.75	0.06	
	124.50	127.50	3.00	0.35	0.02	
	133.50	136.50	3.00	0.60	0.02	
	142.50	144.00	1.50	0.51	0.10	
	145.50	147.00	1.50	0.58	0.06	
	160.50	190.50	30.00	0.40	0.08	
	192.00	225.00	33.00	0.76	0.22	
	243.00	267.00	24.00	0.56	0.13	
	282.00	289.50	7.50	0.57	0.08	
TPD359	42.00	46.50	4.50	0.61	0.12	infill
	55.50	67.50	12.00	0.49	0.11	
	112.50	118.50	6.00	0.47	0.08	
	127.50	136.50	9.00	0.47	0.10	
	148.50	157.50	9.00	0.55	0.07	
	174.00	175.50	1.50	0.55	0.02	
	180.00	196.50	16.50	0.40	0.03	
	202.50	214.50	12.00	0.74	0.04	
TPD360	0.00	88.50	88.50	1.52	0.20	infill
	96.00	99.00	3.00	0.39	0.26	
TPD361	0.00	2.50	2.50	1.06	0.03	infill
	51.00	58.50	7.50	0.48	0.07	


EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	127.50	129.00	1.50	0.56	0.02	
	184.50	186.00	1.50	0.51	0.01	
	199.50	202.50	3.00	0.39	0.16	
	207.00	208.50	1.50	0.64	0.06	
TPD362**	29.50	31.00	1.50	0.75	0.02	infill
	34.00	35.50	1.50	1.18	0.03	
	159.00	162.00	3.00	0.55	0.11	
TPD363	11.50	13.00	1.50	1.52	0.03	Exploration
	70.50	78.00	7.50	0.70	0.11	
	87.00	91.50	4.50	0.42	0.08	
	108.00	123.00	15.00	1.70	0.03	
	139.50	226.50	87.00	1.60	0.03	
incl	178.5	181.5	3.00	15.23*	0.019	
	232.50	237.00	4.50	0.75	0.01	
	241.50	243.00	1.50	0.50	0.01	
	249.00	250.50	1.50	0.52	0.07	
	256.50	258.00	1.50	0.60	0.04	
	262.50	273.00	10.50	0.58	0.01	
	276.00	279.00	3.00	0.92	0.01	
	283.50	286.50	3.00	0.47	0.00	
	291.00	306.00	15.00	0.90	0.00	
TPD364	No significant results					Exploration
TPD365	48.00	49.50	1.50	0.98	0.14	Exploration
	63.00	85.50	22.50	1.74	0.11	
incl	79.50	85.50	6.00	5.57*	0.12	
	97.50	109.50	12.00	1.28	0.02	
	121.50	124.50	3.00	0.56	0.01	
	139.50	213.00	73.50	0.52	0.02	
	256.50	258.00	1.50	0.66	0.01	
TPD366**	32.50	34.00	1.50	0.85	0.05	Exploration
	48.00	49.50	1.50	1.55	0.02	
	72.00	73.50	1.50	0.87	0.05	
	82.50	135.00	52.50	1.23	0.05	
	189.00	241.50	52.50	0.92	0.04	
	259.50	262.50	3.00	1.55	0.05	
	276.00	282.00	6.00	0.50	0.07	
	285.00	286.50	1.50	0.88	0.20	

* All gold assays unless otherwise indicated by an asterisk (*) are top-cut of 12.0 g/t consistent with NI-43-101 resource is not applied



** Assay results for these holes are not complete and only partial results are included in this press release and this table.

Exhibit 2 Plan View Map Toroparu - Guyana



Mineralized Envelope >0.1g/t Au cutoff

SE Step-out Zone



Legend

Au/gc Thickness	Cu % Thickness
0.10 - 0.30g/t	0. - 0.2
0.30 - 0.50g/t	0.21 - 0.3
0.51 - 1.00g/t	0.31 - 0.5
1.00 - 1.50g/t	0.51 - 2.0
1.50 - 600g/t	

824

825000.00 X



828000.00 X

716000.00 Y

715000.00 Y

714000.00 Y

713000.00 Y

Exhibit 3: Longitudinal View

West Zone

Toroparu Gold Deposit Area


East Zone

Saprolite Layer


TPD364

TPD366

TPD363
TPD365



Mineralized Envelope 0.1 cutoff



1.2 km